

URIT

Friendly operation and applied functions

URINA-120

Urine Analyzer



Global Diagnostics Supplier

URINA-120

Urine Analyzer

Technical Data

Parameters: pH, Nitrite, Special Gravity, Ascorbic Acid, Blood,

Glucose, Bilirubin, Urobilinogen, Ketone, Leucocytes, Protein

Measurement Principle: dual wavelength reflectance method

Measuring Wavelength: 3 LED Wavelength (550, 620, 720nm)

Reaction time: 60 seconds

Throughprt: Standard mode: 60 samples/hour

Fast mode:120 samples/hour

Display: LCD screen

Memory capacity: 4000 results

Strip: URIT 10G/11G urine reagent strips(14G optional)

Interface: Serial port(RS232), parallel port (For external printer),
PS/2(For barcode reader, optional)

Work condition:Environmental Temperature:15-30°C,RH:20%-80%

Powersupply:100-240VAC,50/60Hz

Dimension: 320mm x 300mm x 120mm

Weight:3.5Kg



Features & Functions

- ✔ Friendly operation
- ✔ Internal calibration for sensitivity of strips
- ✔ Cold light source facility with long life and high stability.
- ✔ RS232 serial interface to host PC/LIS, barcode reader optional
- ✔ Compact size with large LCD display
- ✔ URIT UQ-10 & UQ-11 Urinalysis Control



URIT 10G, 11G
urine reagent strip
Complete urine analysis

URIT MEDICAL ELECTRONIC (GROUP) CO., LTD.

Head Office

Add.: No.4 East Alley, Jiahua Road, Guilin,
Guangxi 541001, P.R. China

Tel: +86-773-2288586 Fax: +86-773-2288560

E-mail: export@uritest.com service@uritest.com

Shenzhen Office

Add.: Room E.J. 24th Floor, New Baohui Building, Nanhai Road,
Nanshan District, Shenzhen, P.R. China

Tel: +86-755-26050853 Fax: +86-755-86036150

Http://www.urit.com



ISO9001
ISO13485

